Subject index

Adula nappe, 687
advection–dispersion, 497
Alpe Arami, 581
Alpine, 93
amphibole, 155
amphibolite facies metamorphism, 777
Anchizone, 323
annealing experiment, 311
Antarctica, 361
^{40}Ar–^{39}Ar, 735
Ar thermochronology, 283
Archaean, 253
Arunta Inlier, 613
Austria, 203

Barrovian, 223
Beinn an Dubhaich, Skye, 71
Bhutan Himalaya, 593
biotite, 531
Bitterroot, 753
Boehls Butte, 753
brittle-ductile transition, 777
Buchan, 223

calcsilicate rocks, 361
calcsilicate, 551
Caledonides, 665
carbon isotopes, 497
Central Alps, 513, 581
chemical equilibrium, 421
chemically zoned white micas, 531
China, 183
coesite, 239
coesite-bearing eclogite, 183
contact metamorphism, 765
continent–continent collision, 203
cooling rates, 283
cooling, 105
core complex, 753
coronal metagabbro, 183
crustal contraction, 719
crustal extension, 645
crystallite size, 267
crystallization mechanisms, 29, 45
crystallization, 421
crystallization–hydration reactions, 141

Dabieshan, 239
decompression reactions, 593
decompression, 105
deformation, 345, 531
deformation–fluid flow coupling, 345
diagenetic zone, 323
diamond, 479
diaspore, 17
diffusive equilibration, 679
disequilibrium, 581
Durness Limestone, 71

East Antartica, 105
Eastern Ghats Granulite Belt, 719
Eastern Ghats, 551
eastern Himalayan syntaxis, 451
eclogite facies, 735
eclogite, 93, 169, 239, 299, 401, 479, 665, 687
element mobility, 401
epizone, 323
equilibrium phase diagram, 687
error propagation, 679
evaluation of P–T conditions, 451
exhumation, 735
ferric iron estimation, 679
field gradients, 513
fluid flow, 85, 345, 497
fluid infiltration, 59
fluids, 141, 701
folding, 467

garnet diffusion modelling, 299
garnet peridotite, 581
garnet zoning, 183, 421, 631, 645
garnet, 85, 223
garnet–orthopyroxene geothermometry/barometry, 679
geochemistry, 401
geochronology, 127
geothermobarometry, 581, 687
geothermometry, 3
grain-boundary migration, 311
granulite metamorphism, 613
granulite, 401
granulites, 141, 203, 361, 701
graphite oxidation, 141
Grenville Province, 253

Harts Range, 613
high P–T, 311
high-P granulite, 451
high-pressure metamorphic rocks, 17
high-pressure, 239
high-temperature decompression, 645
Himalayan metamorphism, 593
Himalayan tectonics, 451
Holsnoy, Norway, 401
hydrothermal circulation, 71

Iberian Massif, 645
illite crystallinity, 267
inclusion trail axes of curvature, 467
incongruent melting, 141
intergranular diffusion, 421
internal buffering, 551
intracrystalline diffusion, 631
isograd reactions, 531

K-feldspar lamellae, 479
KMnFMASH, 223
Kodaikanal Massif, southern India, 379
Kotchetav Massif, 479

lattice strain, 267
Llano Uplift, 631

© Blackwell Science Inc., 0263-4929/97/$14.00

magma invasion, 719
marble, 169
medium- to low-*P* granulites, 105
melting, 645
metabasites, 565
metacarbonates, 59
metamorphic *P–T* path, 719
metamorphism, 127, 155
metapelite, 645
metastable persistance, 183
migmatites, 105
mineral textures, 59
miscibility gap, 3
modelling, 497
Moldanubian zone, 203
monazite, 3
Musgrave Block, 735
mylonite, 155

non-rotated porphyroblasts, 467
normal grain growth, 311
North Norway, 85
nucleation and growth, 85
numerical model, 345

omphacite, 687
ophiolite, 93
oxides, 701
oxygen barometry, 701
oxygen isotopes, 497

Pan-African, 735
partial melting, 105, 613
pelite, 223
Pelona Schist, 155
permeability, 345
petrogenetic grid, 593
phengite, 239
phyllosilicates, 323
polymetamorphic, 439
porphyroblast timing, 467
porphyroblasts, 29, 45
Prince Charles Mountains, 361
prograde metamorphism, 565
pseudotachylytes, 777
P–T path, 169, 613, 645
P–T–t path, 203
pumpellyite–actinolite facies, 565
Pyrenees, 531
pyrophyllite, 17

quantitative textural analysis, 29, 45
quartz, 311
Québec, 283

rapid cooling rates, 299
rapid exhumation rates, 299
reaction pathway, 183
reaction texture, 551
reaction textures, 361
REE, 3
regional metamorphism, 345
retrogression, 141, 203, 361
reversal experiments, 17

Sakhalin, 565
Salur gneiss complex, 719
sapphirine granulite, 253
sapphirine-bearing MgAl granulites, 379
scapolite, 361
self-organization, 765
Seve Nappes, 665
SHRIMP, 735
siliceous dolostones, 765
Sm–Nd garnet dating, 439
Sm–Nd, 735
South Africa, 253
south-eastern Alaska, 439
stable isotope, 93
stable isotopes, 71
sulphides, 701
Su-Lu, 169
Susunai Complex, 565
synkinematic leucogranite, 593

TEM, 267
terrane analysis, 283
thermobarometry, 513, 753
thermodynamic calculations, 17
titanite, 665
two-stage decompression path, 379

U/Pb ages, 665
UHP, 479
ultra-high pressure (UHP), 169
ultra-high-pressure metamorphism, 183
ultra-high-temperature metamorphism, 253, 379

very low grade metamorphism, 323
Vincent thrust, 155

water-deficient mylonites, 777
Western Alps, 777
whiteschist, 479

xenoliths in kimberlite, 235
xenotime, 3
X-ray tomography, 29, 45
XRD, 267
zircon, 127

Author index

Albrecht, L. *see* Essex, R. M.
Andréasson, P.-G. *see* Essex, R. M.
Andrehs, G. *see* Heinrich, W.
Arenas, R. *see* Escuder Viruete, J.
Árkai, P. *see* Jiang, W.-T.

Baker, J. M. *see* Mahar, E. M.
Barnicoat, A. C. & Cartwright, I., The gabbro–eclogite transformation: an oxygen isotope and petrographic study of west Alpine ophiolites, 93
Bell, T. H., Hickey, K. A. & Wang, J. Spiral and staircase inclusion trail axes within garnet and staurolite porphyroblasts from schists of the Bolton Syncline, Connecticut: timing of porphyroblast growth and the effects of fold development, 467

Bhattacharya, A. *see* Mukhopadhyay, A. K.
Bowring, S. A. *see* House, M. A.
Brenker, F. E. & Brey, G. P. Reconstruction of the exhumation path of the Alpe Arami garnet–peridotite body from depths exceeding 160 km, 581
Brey, G. P. see Brenker, F. E.
Brown, M. *see* Raith, M.
Buick, I. S. *see* Miller, J. A.

Camacho, A., Compston, W., McCulloch, M. & McDougall, I. Timing and exhumation of eclogite facies shear zones, Musgrave Block, central Australia, 735
Carlson, C. & Powell, R. Garnet-orthopyroxene geothermometry and geobarometry: error propagation and equilibration effects, 679
Carlson, W. & Schwarz, E. Petrological significance of prograde homogenizatin of growth zoning in garnet: an example from the Llano Uplift, 631
Carlson, W. D. *see* Chernoff, W. D.
Carlson, W. D. *see* Denison, C.
Carson, C. J., Powell, R., Wilson, C. J. L. Wilson & Dirks, P. H. G. M. Partial melting during tectonic exhumation of a granulite terrane: an example from the Larsemann Hills, East Antarctica, 105
Carswell, D. A., O'Brien, P. J., Wilson, R. N. & Zhai, M. Thermobarometry of phengite-bearing eclogites in the Dabie Mountains of central China, 239
Cartwright *see* Miller, J. A.
Cartwright, I. & Weaver, T. R. Two-dimensional patterns of metamorphic fluid flow and isotopic resetting in layered and fractured rocks, 497
Cartwright, I. *see* Barnicoat, A. C.
Cesare, B. *see* Pennacchioni, G.
Chernoff, C. B. & Carlson, W. D. Disequilibrium for Ca during growth of pelitic garnet, 421
Chopin, C. *see* Theye, T.
Coleman, R. G. *see* Zhang, R. Y.
Compston, W. *see* Camacho, A.
Cook, N. D. J. *see* Stephenson, N. C. N.

Dasgupta, S. *see* Sengupta, P.
Davidson, C., Grujic, D. E., Hollister, L. S. & Schmid, S. M. Metamorphic reactions related to decompression and synkinematic intrusion of leucogranite, High Himalayan Crystallines, Bhutan, 593
Dawson, J. B., Harley, S. L., Rudnick, R. L. & Ireland, T. R. Equilibration and reaction in Archaean quartz–sapphirine granulite xenoliths from the Lace kimberlite pipe, South Africa, 253
De Capitani, C. *see* Meyre, C.
Dempster, T. J. & Tanner, P. W. G. The biotite isograd, Central Pyrenees: a deformation-controlled reaction, 531
Denison, C. & Carlson, W. D. Three-dimensional quantitative textural analysis of metamorphic rocks using high-resolution computed X-ray tomography: Part II. Application to natural samples, 45
Denison, C., Carlson, W. D. & Ketcham, R. A. Three-dimensional quantitative textural analysis of metamorphic rocks using high-resolution computed X-ray tomography: Part I. Methods and techniques, 29
Dirks, P. H. G. M. *see* Carson, C. J.

Ehl, J. *see* Sengupta, P.
Enami, M. *see* Kato, T.

Engi, M. *see* Todd, C. S.
Ernst, W. G. *see* Zhang, R. Y.
Escuder Viruete, J., Indares, A. & Arenas, R. *P–T* path determinations in the Tormes Gneissic Dome, NW Iberian Massif, Spain, 645
Essex, R. M., Gromet, L. P., Andréasson, P.-G. & Albrecht, L. Early Ordvician U–Pb metamorphic ages of the eclogite-bearing Seve Nappes, Northern Scandinavian Caledonides, 665

Fallick, A. E. *see* Holness, M. B.
Ferry, J. M. *see* Livi, K. J. T.
Fountain, D. M. *see* Rockow, K. M.
Franz, G. *see* Heinrich, W.
Frey, M. *see* Livi, K. J. T.
Fukuoka, M. *see* Sengupta, P.

Goldberg, S. A. *see* Stowell, H. H.
Grevel, K.-D. *see* Theye, T.
Gromet, L. P. *see* Essex, R. M.
Grujic, D. E. *see* Davidson, C.

Hansen, E. C. *see* Harlov, D. E.
Harley, S. L. *see* Dawson, J. B.
Harlov, D. E., Newton, R. C., Hansen, E. C. & Janardhan, A. S. Oxide and sulphide minerals in higly oxidized, Rb-depleted, Archaean granulites of the Shevaroy Hills Massif, South India: Oxidation states and the role of metamorphic fluids, 701
Haskin, L. A. *see* Rockow, K. M.
Heinrich, W., Andrehs, G. & Franz, G. Monazite–xenotime miscibility gap thermometry. I. An empirical calibration, 3
Hickey, K. A. *see* Bell, T. H.
Hodges, K. V. *see* House, M. A.
Holland, T. J. B. *see* Mahar, E. M.
Hollister, L. S. *see* Davidson, C.
Holness, M. B. & Fallick, A. E. Palœohydrology of the calcsilicate aureole of the Beinn an Dubhaich granite, Skye, Scotland: a stable isotopic study, 71
Holness, M. B. Fluid flow paths and mechanisms of fluid infiltration in carbonates during contact metamorphism: the Beinn an Dubhaich aureole, Skye, 59
Holness, M. B., Geochemical self-organization of olivine-grade contact metamorphosed chert nodules in dolomite marble, Kilchrist, Skye, 765
House, M. A., Hodges, K. V. & Bowring, S. A. Petrological and geochronological constraints on regional metamorphism along the northern border of the Bitterroot batholith, 753
Howell, N. *see* Mahar, E. M.

Indares, A. *see* Escuder Viruete, J.
Ireland, T. R. *see* Dawson, J. B.
Ishizuka, H. *see* Sakakibara, M.

Jacobson, C. E. Metamorphic convergence of the upper and lower plates of the Vincent thrust, San Gabriel Mountains, southern California, USA, 155
Janardhan, A. S. *see* Harlov, D. E.
Jiang, W.-T., Peacor, D. R., Árkai, P., Tóth, M. & Kim, J. W. TEM and XRD determination of crystallite size and lattice strain as a function of illite crystallinity in pelitic rocks, 267
Jolliff, B. L. *see* Rockow, K. M.

Karmakar, S. *see* Raith, M.
Kato, T., Enami, M. & Zhai, M. Ultra-high-pressure (UHP) marble and eclogite in the Su-Lu UHP terrane, eastern China, 169

Ketcham, R. A. *see* Denison, C.
Kim, J. W *see* Jiang, W.-T.
Kimura, G. *see* Sakakibara, M.
Krogstad, E. J. *see* Mezger, K.

Liou, J. G. *see* Zhang, R. Y.
Liou, J. G. *see* Zhang, R. Y.
Liu, Y. & Zhong, D. Petrology of high-pressure granulites from the eastern Himalayan syntaxis, 451
Livi, K. J. T., Veblen, D. R., Ferry, J. M. & Frey, M. Evolution of 2 : 1 layered silicates in low-grade metamorphosed Liassic shales of Central Switzerland, 323

Mahar, E. M., Baker, J. M., Powell, R., Holland, T. J. B. & Howell, N. The effect of Mn on mineral stability in metapelites, 223
Martignole, J. & Reynolds, P. $^{40}Ar/^{39}Ar$ thermochronology along a western Québec transect of the Grenville Province, Canada, 283
Masuda, T., Morikawa, T., Nakayama, Y. & Suzuki, S. Grain-boundary migration of quartz during annealing experiments at high temperatures and pressures, with implications for metamorphic geology, 311
McCulloch, M. *see* Camacho, A.
McDougall, I. *see* Camacho, A.
Melinikov, O. A. *see* Sakakibara, M.
Meyre, C., De Capitani, C. & Partzsch, J. H. A ternary solid solution model for omphacite and its application to geothermobarometry of eclogites from the Middle Adula nappe (Central Alps, Switzerland), 687
Mezger, K. & Krogstad, E. J. Interpretation of discordant U–Pb zircon ages: an evaluation, 127
Miller, J. A., Cartwright, I. & Buick, I. S. Granulite facies metamorphism in the Mallee Bore area, northern Harts Range: implications for the thermal evolution of the eastern Arunta Inlier, central Australia, 613
Miyashita, S. *see* Sakakibara, M.
Morikawa, T. *see* Masuda, T.
Mukhopadhyay, A. K. & Bhattacharya, A. Tectonothermal evolution of the gneiss complex at Salur in the Eastern Ghats Granulite Belt of India, 719

Nakayama, Y. *see* Masuda, T.
Newton, R. C. *see* Harlov, D. E.

O'Brien, P. J. *see* Carswell, D. A.
Ockenga, E. *see* Theye, T.
Ofuka, H. *see* Sakakibara, M.
Okamura, M. *see* Sakakibara, M.
Oliver, N. H. S. *see* Ord, A.
Ord, A. & Oliver, N. H. S. Mechanical controls on fluid flow during regional metamorphism: some numerical models, 345

Pal, S. *see* Sengupta, P.
Partzsch, J. H. *see* Meyre, C.
Peacor, D. R. *see* Jiang, W.-T.
Pennacchioni, G. & Cesare, B. Ductile-brittle transition in pre-Alpine amphibolite facies mylonites during evolution from water-present to water-deficient conditions (Mont Mary nappe, Italian Western Alps), 777
Perchuk, A. & Philippot, P. Rapid cooling and exhumation of eclogite rocks from the Great Caucasus, Russia, 299
Petrakakis, K. Evolution of Moldanubian rocks in Austria: review and synthesis, 203
Philippot, P. *see* Perchuk, A.
Powell, R. *see* Carlson, C.
Powell, R. *see* Carson, C. J.
Powell, R. *see* Mahar, E. M.

Raith, M., Karmakar, S. & Brown, M. Ultra-high-temperature metamorphism and multistage decompressional evolution of sapphirine granulites from the Palni Hill Ranges, southern India, 379
Reynolds, P. *see* Martignole, J.
Rockow, K. M., Haskin, L. A., Jolliff, B. L. & Fountain, D. M. Constraints on element mobility associated with the conversion of granulite to eclogite along fractures in an anorthositic complex on Holsnøy, Norway, 401
Rudnick, R. L. *see* Dawson, J. B.
Sakakibara, M., Ofuka, H., Kimura, G., Ishizuka, H., Miyashita, S., Okamura, M. & Melinikov, O. A. Metamorphic evolution of the Susanai metabasites in southern Sakhalin, Russian Republic, 565

Sanyal, S. *see* Sengupta, P.
Schmid, S. M. *see* Davidson, C.
Schwarz, E. *see* Carlson, W.
Sengupta, P., Sanyal, S., Dasgupta, S., Fukuoka, M., Ehl, J. & Pal, S. Controls of mineral reactions in high-grade garnet–wollastonite–scapolite-bearing calcsilicate rocks: an example from Anakapalle, Eastern Ghats, India, 551
Shatsky, V. *see* Zhang, R. Y.
Skelton, A. D. L. The effect of metamorphic fluid flow on the nucleation and growth of garnets from Troms, North Norway, 85
Sobolev, N. V. *see* Zhang, R. Y.
Stephenson, N. C. N. & Cook, N. D. J. Metamorphic evolution of calcsilicate granulites near Battye Glacier, northern Prince Charles Mountains, East Antarctica, 361
Stevens, G. Melting, carbonic fluids and water recycling in the deep crust: an example from the Limpopo Belt, South Africa, 141
Stowell, H. H. & Goldberg, S. A. Sm–Nd garnet dating of polyphase metamorphism: northern Coast Mountains, south-eastern Alaska, USA, 439

Tanner, P. W. G. *see* Dempster, T. J.
Theye, T., Chopin, C., Grevel, K.-D. & Ockenga, E. The assemblage diaspore + quartz in metamorphic rocks: a petrological, experimental and thermodynamic study, 17
Todd, C. S. & Engi, M. Metamorphic field gradients in the Central Alps, 513
Tóth, M. *see* Jiang, W.-T.

Veblen, D. R. *see* Livi, K. J. T.

Wang, J. *see* Bell, T. H.
Weaver, T. R. *see* Cartwright, I.
Wilson, C. J. L. *see* Carson, C. J.
Wilson, R. N. *see* Carswell, D. A.

Zhai, M. *see* Carswell, D. A.
Zhai, M. *see* Kato, T.
Zhang, R. Y. & Liou, J. G. Partial transformation of gabbro to coesite-bearing eclogite from Yangkou, the Sulu terrane, eastern China, 183
Zhang, R. Y., Liou, J. G., Ernst, W. G., Coleman, R. G., Sobolev, N. V. & Shatsky, V. S. Metamorphic evolution of diamond-bearing and associated rocks from the Kokchetav Massif, northern Kazakhstan, 479
Zhong, D. *see* Liu, Y.